1

July 11, 1925

MINERAL SURVEY No. 3980

	Arizona	Land Dis	strict.
ог тн	FIELD NO		
Ari			
	KNOWN AS		
	RUBY and EMP	ERALD Lodes	
	Eureka		Mining District
Yavapai	County,	Arizona	
on9,	Township14_No	erth, Range	9 West
ırveyed under insti	ructions dated	y 9th, 1	9 25.
	<i>by</i>	Harry E. Jon	108. S Mineral Surveyo
Claim located	See location	notices	, 19
Survey comme	nced May 19th	•	, 19 25.
Survey comple	ted Hay 21st	•	, 1925.
	imant John L. claimant	, Prescott, Ar	
	claimant	, Prescott, Ar	W. P. Control of the

MINERAL SURVEY NO.3980

Ruby Lode

Beginning at Cor. No. 1

Identical with loc. mon. a 3½ft. ½in. pipe with a 2in. brass cap marked US. MINERAL SURVEY NO.3980-1-R; set 18ins. in ground and surrounded with a substantial mound of earth and rock.

The \(\frac{1}{4}\) corner common to Sections 9 and 16, T. 14 N. R. 9 W. bears S.10°48'E. 1410.22 ft.

No other suitable bearings available.

Thence N. 49° 24' W.

300.00 To Southwest End Center, identical with loc. mon. a substantial mound of earth and rock.

600.00 To Cor. No. 2

Identical with loc. mon. a 3½ft. ¾in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.3980-2-R; set 20ins. in ground and surrounded with a substantial mound of earth and rock. No suitable bearings available.

Thence N. 39° 36' E.

1290.00 Cross center of 10 ft. wash, course N.

1500.00 To Cor. No. 3

Identical with loc. mon. and Cor.3 Emerald lode this survey, a 31ft. in. pipe with a 2in. brass cap marked, U.S.MINERAL SURVEY NO.3980-3-R;3-E; set 18ins. in ground and surrounded with a substantial mound of earth and rock. No suitable bearings available.

Thence S. 49° 24' E.

Along line 3-2 Emerald lode of this survey.

300.00 To Northeast End Center, identical with loc. mon. a substantial mound of earth and rock.

600.00 To Cor. No. 4

Identical with loc. mon. an31ftr. 1in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.3980-4-R; set 16ins. in ground and surrounded with a substantial mound of earth and rock. No suitable bearings available.

Thence S. 39° 36' W.

940.00 Cross center of 5 ft. wash, course N.

Feet 1500.00 To Cor. No. 1 the place of beginning.

Emerald Lode

Beginning at Cor. No. 1

Identical with the loc. mon. a 3½ft. ½in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.3980-1-E; set 18ins. in ground and surrounded with a substantial mound of earth and rock.

The decorner common to sections 9 and 10, T. 14 N. R. 9 W. bears N.75,30"E. 905.90 ft.

No other suitable bearings available.

Thence S. 40° 36' W.

300.00 To Southeast End Center, adentical with loc. mon. a substan--tial mound of stone.

470.00 Cross center of 10 ft. wash, course NW.

600.00 To Cor. No. 2

Identical with loc. mon. a 31ft. in. pipe with a 2in. br brass cap marked U.S.MINERAL SURVEY NO.3980-2-E; set 20 ins. in ground and surrounded with a substantial mound of earth and rock. No suitable bearings available.

Thence N. 49° 24' W.

900.00 To Cor. 4 Ruby lode of this survey previously described.

Along line 4-3 Ruby lode this survey.

1200.00 To Northeast end center Ruby lode this survey.

1500.00 To Cor. No. 3,

Identical with loc. mon. and Cor. 3 Ruby lode this survey previously described.

Thence N. 40° 36' E.

281.70 Cross center of 15 ft. wash, course NW.

300.00 To Northwest End Center, identical with loc. mon. a substantial mound of stone.

600.00 To Cor. No. 4

Identical with loc. mon. a 3½ft. ½in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.3980-4-E; set 18 ins. in ground and surrounded with a substantial mound of earth and rock. No suitable bearings available.

Feet

Thence S. 49° 24' E.

1500.00 To Cor. No. 1 the place of beginning.

Mean Magnetic Variation at all corners is 14°45'E.

love remained and control of the control of

Lode Lines

As near as can be determined from the present developments the veins of the locations embraced in this claim extend as follows from their respective discovery points:

Ruby lode, N.39°36'E. 555 ft. and S.39°36'W. 945 ft.

Emerald lode, N.49°24'W. 690 ft. and S.49°24'E. 810 ft.

Area

Total area Emerald lode, 20.658 Acres

Location

This survey is located in Section 9, T. 14 N. R. 9 W. Gila and Salt River Base and Meridian; Yavapai County, Arizona.

. 1997 den bei Ties Ties Ties Ties Davide Beard

Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements made upon or for the benefit of the locations embraced in said mining claim by the claimant or its grantors is not less than Five Hundred Dollars, and that said improvements consist of:

No.1 Dis. cut and tunnel, 5x15x10 ft. face and 4x6x33 ft. with cross cut 4x6x20 ft. from face of tunnel, which point bears S.39°36'W. 555 ft. from NE. end center; Ruby lode. Cut & tunnel extends N.E., crosscut extends 5.E.

No. 2 cut 5x12x10 ft. facing SW. bears S.38°05'W. 630 ft. from NE. end center, Ruby lode. Value \$ 100.00 Emerald.

No.1 Dis.Pt. an outcropping ledge in place bears S.49°24'E. 690 ft. from NW. end center merald lode.

No.2 cut 5x20x12 ft. face, and tunnel 4x6x60 ft. long runmouth of cut ning NE., bears N.61°E. 185 ft. from the 900 ft. point on line 2-3 Emerald lode. .

Value \$ 750.00

No.3 cut 5x40x15 ft. facing NE. and tunnel 4x6x30 ft.

mouth of cut
long running SW. bears N.5° 16'E. 215 ft. from the 900 ft. point on line 2-3 Hmerald lode. Value \$ 550.00

No other improvements

elived increased out we have larged as the

Adjoining Claims

to the . I will be a part of the state of th

This claim is bounded on all sides by public land.

and the establish bern

Shakes at the of the Tomars and

ARBIED AL. CEOR TOOK TOOK WE

BU. T. COS CTIMETED IN . PROTES NO. DECEMBER. CED CT.

. sect of the related bits . Was port of

the state of the said transl areas to lone ren-

The taide of the trainer and the point on't

This survey was made with a W. & L.E. Gurley light mountain transit.

The courses were deflected from true meridians as determined from direct sun observations.

The distances were measured with 50 ft. and 660 ft. steel tapes.

Report The public land corners to which this survey is tied are brass capped pipesproperly set and marked.

Any differences in these field notes and the location notices are due to error in the latter.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals em	ployed by Harry E. Jones,	
United States Mineral Surveyor, to assist in	running, measuring, and marking the line	es, corners, and
boundaries described in the foregoing field no	tes of the survey of the mining claim of	
Arizona Bagdad Coppe	r Company	
known as the RUBY and	EMERALD Lodes	
and showing the respective capacities in which	h they acted.	
	J. L. Jones	, Chainman.
	Henry Raymond Eaton	
		Axman.
FINAL OATH	IS OF ASSISTANTS.	
We, J. L. Jones,		
and Henry Raymond Faton	, do solemnly swear that we assisted	
Harry E. Jones , United State	s Mineral Surveyor, in marking the corners	and surveying
the boundaries of the mining claim of		
Arizona Bagdad Co	opper Company	
known as theRUBY and EMERA		
represented in the foregoing field notes as hav		
direction; and that said survey has been in all 1		
and correctly executed, and the corner and bound	lary monuments established according to law a	and the instruc-
tions furnished by the United States Surveyor-G	eneral for Arizona.	
	92 Janes	Chainman.
	KEnry Raymont Eaton	Chainman.
		Axman.
		Flagman.
Subscribed and sworn to by	the above-named persons before me this 3	rd.
day of <u>June</u>	Rotary Public	Relip
	<u> </u>	6-1043

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Harry E. Jones	, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance	e of instructions received from the United States
Surveyor General forAr	rizona dated
May 9th. 1925,	, I have, in strict conformity to the laws of the
	and instructions thereunder, and the instructions
of said Surveyor General, faithfully	and correctly executed the survey of the Mining
Claim of Arizona Bagdad	Copper Company
	, known as the
RUBY and EME	ERALD Lodes ,
	Mining District,
	County, Arizona , in Section
	, Range No. 9 West. G&SRB&M,
and designated as Survey No.	
in the foregoing field notes, which acc	curately show the boundaries of said mining claim
	n the ground, and described in the attached copy
of the location certificate, which was	received by me from the Surveyor General with
said instructions, and that all the corn	ers of said survey have been established and per-
petuated in strict accordance with th	e law, official regulations and instructions there-
under; and I do further solemnly sw	ear that the foregoing are the true and original
field notes of said survey and my re	eport therein, and that the labor expended and
improvements made upon said mining	claim by claimant oritsgrantors
are as therein fully stated, and that t	the character, extent, location, and itemized value
thereof are specified therein with part	ticularity and full detail, and that no portion of
said labor or improvements so credited	d to this claim has been included in the estimate
	Hampeyoner
	Hauf Jones U. S. Mineral Surveyor.
	id Harry E. Jones
	ne a Notary Public in and for County
	izona this 3rd.
day of, 1	925.
	Calpe a Him
	The factor of th
61044	Notary Public.

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF District Cadastral Engineer

	***************************************	Phoenix, Arizor	ıa.,		
		Ju]	у	30 , 1925	5_
T Office Co.	destral Engine	a 19			
		er .			
do hereby certify that th					_
of the mining claim of					
		Copper Company			
known as the					
situate in					
Mining District,					
in Section 9					
designated as Survey No	3980 ,	has been correctly copie	d from	the originals on file i	n
this office; that said Fie	ld Notes furnish such	an accurate description	of said	mining claim as will,	if
incorporated into a paten	t, serve fully to identif	y the premises, and that	such re	ference is made therei	n
to natural objects or peri	nanent monuments as	will perpetuate and fix t	he <i>locus</i>	thereof.	
And I further certif	y that five hundred d	ollars' worth of labor h	as been	expended or improve	3-
ments made upon said r	P				
consist of l cut,					
		*******************************			-

and that no portion of sa	id labor or improveme	ents has been included in	the es	timate of expenditure	8
upon any other claim.					
I further certify that	the plat thereof, filed	in the U.S. Land Office	at	Phoenix,	
Arizona,	is correct and in	conformity with the for	regoing	Field Notes.	
		John D. Adams			
		Office Cadast	ral	Engineer	

OFFICE CADASTRAL ENGINEER CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF District Cadastral Engineer

	Phoenix, Arizona,				
				July 30	, 1925
I, Office O	adastral]	Engineer			
do hereby certify tha	t the foregoing	and hereto attach	ed Field Notes an	d Return of the	Survey of the
Mining Claim of		***************************************			
	ļ	Arizona Bagda	d Copper Con	noany	
		***************************************			known as the
situate in					
in Section					
executed by					
Surveyor,					
		, 1925, h			
corrections and expla					
are hereby approved.					
on file in this office a	nd a true copy	of said certified co	opy of said location	n certificate is	included and
made a part of the tr	anscript of the	field notes.			
			(last s	xlos	
		60	oi al Cadaat	or En win	4
SOVERNIMENT PROVINCE OFFICE		UI	fice. Cadastr	ar muginee	